From:	Takenaka, Gavin K	
To:	<u>Camacho, Maureen; Mahina O Assily (Mahina.O.Assily@hawaii.gov); Catherine M Krueger</u>	
	(catherine.m.krueger@hawaii.gov); Menino, Tanyalee; Lopez, Jennifer D; Simeona, Jennifer K; Labrador, Landon	
	<u>]; Stephanie M Higa (Stephanie.M.Higa@hawaii.gov); Agaran, Tina K; Caroline M Mee</u>	
	(Caroline.M.Mee@hawaii.gov)	
Subject:	FW: Moderna Training PPT	
Date:	Friday, January 8, 2021 2:14:00 PM	
Attachments:	Moderna covid-19 vaccine presentation.pptx	

Hi All:

DOH sent the attached Moderna vaccine power point today after discussion of vaccine distribution at our facilities. Please review and distribute to your nurses. Will keep you updated as more information is released.


Gavin K. Takenaka, Psy.D. Corrections Health Care Administrator Department of Public Safety Phone (808) 587-1250 Fax (808) 587-3378

COVID-19 MODERNA VACCINE

ABOUT THE COVID-19 VACCINES

- UNAPPROVED VACCINE THAT HAS BEEN AUTHORIZED FOR EMERGENCY USE BY THE FDA FOR ACTIVE IMMUNIZATION IN INDIVIDUALS 18 YEARS OF AGE AND OLDER TO PREVENT COVID-19
- IT FOCUSES ON MRNA TECHNOLOGY AND IS CURRENTLY BEING STUDIED IN A LARGE PHASE 3 TRIAL

COVID-19 VACCINE LIFE CYCLE



STREET, STREET

A star

dec.

ABOUT THE COVID-19 VACCINES

20

MRNA-1273 VACCINE (MODERNA)

- INTERIM ANALYSIS OF 95 CASES 90 CASES IN PLACEBO GROUP 5 CASES IN VACCINE GROUP
- – 94.5% EFFECTIVE 2 WEEKS POST DOSE 2
- – 11 SEVERE CASES, ALL IN PLACEBO GROUP
- DSMB: NO SERIOUS SAFETY CONCERNS

1

• – EUA SUBMISSION SOON

HOW DOES THE VACCINE WORK

HTTPS://WWW.YOUTUBE.COM/WATCH?V=3ZTYGYQOQ1Q

A Sta

den al

SCREENING QUESTIONS TO DETERMINE IF YOU SHOULD BE VACCINATED TODAY

- ARE YOU SICK TODAY?
- HAVE ANY ALLERGIES?
- HAVE A BLEEDING DISORDER OR ARE ON A BLOOD THINNER?
- ARE IMMUNOCOMPROMISED OR ARE ON A MEDICINE THAT AFFECTS YOUR IMMUNE SYSTEM?
- ARE PREGNANT OR PLAN TO BECOME PREGNANT?
- ARE BREASTFEEDING?
- HAVE RECEIVED ANOTHER COVID-19 VACCINE?

L. A.

WHO SHOULD AND WHO SHOULD NOT GET THE COVID-19 VACCINE

WHO SHOULD GET THE MODERNA COVID-19 VACCINE?

 FDA HAS AUTHORIZED THE EMERGENCY USE OF THE MODERNA COVID-19 VACCINE IN INDIVIDUALS 18 YEARS OF AGE AND OLDER.

WHO SHOULD NOT GET THE MODERNA COVID-19 VACCINE?

- YOU SHOULD NOT GET THE MODERNA COVID-19 VACCINE IF YOU:
 - HAD A SEVERE ALLERGIC REACTION AFTER A PREVIOUS DOSE OF THIS VACCINE
 - HAD A SEVERE ALLERGIC REACTION (ANAPHYLAXIS) TO ANY INGREDIENT OF THIS VACCINE

HOW IS THE COVID-19 VACCINE GIVEN?

- COVID-19 VACCINE IS ADMINISTERED BY INTRAMUSCULAR INJECTION AS A SERIES OF 2 DOSES (0.5 ML EACH)
- COVID-19 VACCINE VACCINATION SERIES IS 2 DOSES GIVEN 4 WEEKS APART.
- IF YOU RECEIVE ONE DOSE OF THE COVID-19 VACCINE, YOU SHOULD RECEIVE A SECOND DOSE OF THIS SAME VACCINE 4 WEEKS LATER TO COMPLETE THE VACCINATION SERIES.
- INSPECT EACH DOSE OF THE VACCINE IN THE DOSING SYRINGE PRIOR TO ADMINISTRATION (IT SHOULD BE WHITE OR OFF-WHITE OR TRANSLUCENT PRODUCT-RELATED PARTICLES
 - VERIFY THE FINAL DOSING VOLUME OF 0.5 ML
 - CONFIRM THERE ARE NO OTHER PARTICULATES AND THAT NO DISCOLORATION IS OBSERVED
 - DO NOT ADMINISTER IF VACCINE IS DISCOLORED OR CONTAINS OTHER PARTICULATE MATTER

POSSIBLE SIDE EFFECTS

- TIREDNESS (FATIGUE)
- MYALGIA
- ARTHRALGIA
- CHILLS

Sel-

• AXILLARY SWELLING/TENDERNESS

L. R.

- FEVER
- INJECTION SITE SWELLING AND PAIN
- INJECTION SITE REDNESS
- NAUSEA AND VOMITING
- FEELING UNWELL
- SWOLLEN LYMPH NODES (LYMPHADENOPATHY)

Spece 1

POSSIBLE SIDE EFFECTS CONTINUED

- THERE IS A REMOTE CHANCE THAT THE COVID-19 VACCINE COULD CAUSE A SEVERE ALLERGIC REACTION. A SEVERE ALLERGIC REACTION WOULD USUALLY OCCUR WITHIN A FEW MINUTES TO ONE HOUR AFTER GETTING A DOSE OF THE VACCINE. SIGNS OF A SEVERE ALLERGIC REACTION CAN INCLUDE:
- DIFFICULTY BREATHING
- SWELLING OF YOUR FACE AND THROAT
- A FAST HEARTBEAT
- A BAD RASH ALL OVER YOUR BODY

L. S.

• DIZZINESS AND WEAKNESS

CONSENT FORM

1

Here &

11

A. Ha

COMPARISON BETWEEN PFIZER AND MODERNA

https://www.youtube.com/watch?v=eZvsqBCvB00

HOW TO ADMINISTER THE VACCINE

HTTPS://WWW.YOUTUBE.COM/WATCH?V=H_EYRECN1XG - PFIZER VACCINE ADMINISTRATION

https://www.youtube.com/watch?v=eK0C5tFHze8 vaccine administration

1

FOLLOW-UP AFTER GETTING VACCINE

- AFTER THE VACCINATION YOU WILL BE MONITORED BY STAFF AND OBSERVED FOR ANY REACTIONS/SIDE EFFECT FROM THE VACCINE FOR ABOUT 15-30 MINUTES TO ENSURE YOU ARE SAFE TO GO BACK TO WORK OR HOME.
- YOU WILL BE GIVEN YOUR VACCINATION CARD WITH INFORMATION OF WHEN AND WHERE YOU RECEIVED THE VACCINE INJECTION AND WHEN YOU NEED TO RETURN FOR THE SECOND INJECTION

WHAT TO DO IF YOU GET SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

You can also report side effects to MODERNATX, Inc. at 1-866-663-3762

KEEP YOUR VACCINATION CARD

When you get your first dose, you will get a vaccination card to show you when to return for your second dose of Moderna COVID-19 Vaccine. Remember to bring your card when you return.

Website	Telephone number
www.modernatx.com/covid19vaccine-eua	1-866-MODERNA (635-8337)

REFERENCES

- CDC, (2020), PRODUCT INFORMATION GUIDE FOR COVID-19 VACCINE, RETRIEVED FROM <u>www.cdc.gov/vaccines/hcp/admin/mass-clinic-activities/index.htm</u>
- CDC, (2020)., VACCINE STORAGEAND HANDLING TOOLKIT, RETRIEVED FROM HTTP//WWW.CDC.GOV/VACCINES/HCP/ADMIN/STORAGE/TOOLKIT/INDEX.HTML
- CDC, (2020). PFIZER-BIONTECH COVID-19 VACCINE, RETRIEVED FROM <u>WWW.CVDVACCINE.COM</u>
- CDC, (2020)., PRODUCT INFORMATION GUIDE FOR COVID-19 VACCINE & ASSOCIATED PRODUCTS, <u>http://www.cdc.gov/vtreks/vaccines/programs/vtrcks/index.html</u>
- NHS & CARE., (2020), VACCINATION CONSENT FORM, PUBLIC HEALTH, ENGLAND
- MODERNA. (2020)., ABOUT MODERNA. RETRIEVED FROM <u>WWW.MODERNATX.COM</u>